



SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Chemical Product

MEAN & GREEN XD

Common Name: Turf Paint & Divot Sand Colorant

Manufactured By

Brandt Consolidated, Inc.
2935 So. Koke Mill Road
Springfield, IL 62711

Emergency Phone Numbers

CHEMTREC (24-Hour Emergency Number): (800) 424-9300
EPA National Response Center: (800) 424-8802

SECTION 2. INGREDIENTS

CHEMICAL	CAS NO.	%	TLV OR PEL	RQ (lbs)
Residual vinyl acetate mono	180-05-4	0.5 – 1.0	10	*N.P.
Formaldehyde	50-00-0	2.0 – 5.0	0.75 TWA	100
Polyethylene glycol octyphenyl	9036-19-5	1 – 5	*N.A.	N.P.
Bicyclic Oxazolidines	56709-13-8	40- 55	0.75 TWA	N.P.

*N.A. – Not Available
*N.P. – Not Pertinent

SECTION 3. EMERGENCY/HAZARDS OVERVIEW

Thick green paint with a alcohol odor. May be irritating to eyes. May be harmful if ingested. Avoid breathing vapors. Not D.O.T. regulated.

HEALTH: 1 REACTIVITY: 0 FLAMMABILITY: 0 ENVIRONMENT: 0
(0=Insignificant 1=Slight 2=Moderate 3=High 4=Extreme)

SECTION 4. FIRST AID

- Eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first five minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
- Skin: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
- Ingestion: Call a poison control center or physician immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.
- Inhalation: Remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth and get medical attention.

SECTION 5.	FIRE AND EXPLOSION HAZARDS
------------	----------------------------

Flash Point:	>175°F
Test Method:	Not available.
LEL Flammable Limits:	Not available.
UEL Flammable Limits:	Not available.
Autoignition Temperature:	Not available.
Flammability Classification:	Not known.
Known Hazardous Products of Combustion:	Not known.
Properties that Initiate/Contribute to Intensity of Fire:	Not known.
Potential For Dust Explosion:	None.
Reactions that Release Flammable Gases or Vapors:	Not known.
Potential For Release of Flammable Vapors:	Not known.
Unusual Fire & Explosion Hazards:	Unopened containers may explode when heated.
Extinguishing Media:	Foam, carbon dioxide, dry chemical, or water fog.
Special Firefighting Procedures:	Wear positive pressure, self-contained breathing apparatus and full protective clothing. Avoid smoke inhalation. Contain any liquid runoff.

SECTION 6.	SPILLS AND LEAKS
------------	------------------

Containment:	Prevent product spillage from entering drinking water supplies or streams.
Clean Up:	Collect liquid or absorb onto absorbent material and package for disposal.
Evacuation:	Not necessary.

SECTION 7.	STORAGE AND HANDLING
------------	----------------------

Storage:	Store in original container only in a cool, well-ventilated, dry place at temperatures between 40 and 95°F. Do not store near food or feeds. Do not stack pallets more than two (2) high.
Transfer Equipment:	Transfer product using chemical-resistant plastic or stainless steel tanks, pumps, valves, etc.
Work/Hygienic Practices:	Keep out of reach of children. May cause eye irritation. May be harmful if swallowed. Do not breathe vapors. Do not get in eyes, on skin, or on clothing. Wear protective clothing including safety goggles, chemical-resistant gloves, long-sleeved shirt, long-legged pants, shoes and socks. Wash thoroughly with soap and water after handling. Remove and launder clothing before reuse.

SECTION 8.	PERSONAL PROTECTIVE EQUIPMENT
------------	-------------------------------

Eyes:	Chemical dust/splash goggles or full-face shield to prevent eye contact. As a general rule, do not wear contact lenses when handling.
Skin:	Impervious gloves and clothes.
Respiratory:	Not normally needed. If use generates an aerosol mist or respiratory irritation, use NIOSH-approved dust/mist respirator (such as 3M #8710).
Ventilation:	Recommended but no TLV established.

SECTION 9. PHYSICAL AND CHEMICAL DATA

Appearance:	Thick green paint.
Odor:	alcohol odor
pH:	7.0
Vapor Pressure:	<20
Vapor Density (Air=1):	>1
Boiling Point:	Not available.
Freezing Point:	Not available.
Water Solubility:	Emulsifies.
Density:	10.01 lbs./gal
Evaporation Rate:	<1
Viscosity:	Not available.
% Volatile:	67%
Octanol/Water Partition Coefficient:	Not available.
Saturated Vapor Concentration:	Not available.

SECTION 10. STABILITY AND REACTIVITY

Stability:	Stable.
Conditions To Avoid:	High temperatures.
Incompatibility:	None known.
Hazardous Decomposition Products:	None known.
Hazardous Polymerization:	Will not occur.

SECTION 11. POTENTIAL HEALTH EFFECTSAcute Effects:

Eyes:	Irritant. May cause redness and swelling.
Skin:	None known.
Ingestion:	May cause nausea, vomiting, diarrhea, and restlessness.
Inhalation:	With poor ventilation, vapor or spray mist may irritate respiratory mucous membranes, causing headache and nausea.

Subchronic Effects: None known.

Chronic Effects: None known.

SECTION 12. ECOLOGICAL INFORMATION

Algal/Lemna Growth Inhibition:	Not known.
Toxicity to Fish and Invertebrates:	Not known.
Toxicity to Plants:	Not known.
Toxicity in Birds:	Not known.

SECTION 13. DISPOSAL

Do not contaminate lakes, streams, ponds, estuaries, oceans or other waters by discharge of waste effluents or equipment washwaters. Dispose of waste effluents in accordance with state and local waste disposal regulations. Also, chemical additions or other alterations of this product may invalidate any disposal information in this MSDS. Therefore, consult local waste regulators for proper disposal.

SECTION 14. TRANSPORTATION

D.O.T.:	Not D.O.T. Regulated.
Other Shipping Description:	Paint and Related Materials NMFC Item 149980 Sub 2, LTL Class 60

SECTION 15. REGULATORY INFORMATION

CERCLA: Formaldehyde is listed as a priority pollutant under the Clean Water Act and, as such, falls under the CERCLA spill reporting requirements of 40 CFR 302.

SARA TITLE III, Section 313 Toxic Chemicals: Formaldehyde (5.0%).

SECTION 16. OTHER

This information was developed from information on the constituent materials. No warranty is expressed or implied regarding the completeness or continuing accuracy of the information contained herein, and Brandt Consolidated disclaims all liability for reliance thereon. The user should satisfy himself that he has all current data relevant to his particular use.